

## Quality Guarantee

Product: Clean Coco

	Result	Units	Outside Lab
pH	5.5 – 7.0	S.U.	in-house
Nitrate-nitrogen	<1.0	mg/L	Midwest
Phosphorus	<10	mg/L	Midwest
Potassium	<200	mg/L	Midwest
Manganese	<1.0	mg/L	Midwest
Magnesium	<15	mg/L	Midwest
Sodium	<75	mg/L	Midwest
E. Coli	<10	cfu/g	Midwest
Salmonella	negative	org/25g	Midwest
Arsenic	<0.2	mg/kg	Midwest
Cadmium	<0.18	mg/kg	Midwest
Chromium	<10	mg/kg	Midwest
Cobalt	<5	mg/kg	Midwest
Copper	<10	mg/kg	Midwest
Mercury	<0.1	mg/kg	Midwest
Molybdenum	<1	mg/kg	Midwest
Nickel	<5	mg/kg	Midwest
Lead	<2	mg/kg	Midwest
Selenium	<1	mg/kg	Midwest
Zinc	<25	mg/kg	Midwest
Pesticides	BDL	ppb	AGQ Labs

\*pH and EC are tested in-house and results for your production run are located on the outside of each pallet

\*Please email [qc@rxgreentechnologies.com](mailto:qc@rxgreentechnologies.com) with any questions regarding this Quality Guarantee\*